

CERTIFICATE OF ANALYSIS



Generated Date:
Sep 11, 2023

ZOETIS LLC, a wholly-owned subsidiary of Zoetis Inc.
2605 E. KILGORE RD
KALAMAZOO, MI 49001 USA

Item: 10024436
Title: APOQUEL FCT 16MGX100BTX1 UA
Expiration Date: 05-2026
Date Of Manufacture: 22-JUN-2023
Market: 10024436 UKRAINE LIMIT
Lot Number: 689219 Associated Lots: 676795

| <u>TEST NAME</u> | <u>SPECIFICATION</u> | <u>UNIT</u> | <u>RESULT</u> |
|--|-------------------------------|-------------|---------------|
| APPEARANCE VISUAL | MEETS TEST | N/A | MEETS TEST |
| IDENTIFICATION UPLC | MEETS TEST | N/A | MEETS TEST |
| IDENTIFICATION PDA | MEETS TEST | N/A | MEETS TEST |
| ASSAY OCLACITINIB | 95.0 - 105.0 % of Label Claim | % | 98.4 |
| MALEATE CONJUGATE | <= 2.0 | % | < 0.3 |
| INDIVIDUAL UNSPEC DEGRADATION<= 1.0 PRODUCTS | | % | < 0.3 |
| TOTAL DEGRADATION PRODUCTS <= 4.0 | | % | < 0.3 |
| DISSOLUTION @ 30 Minutes (Q = 75%) | Meets Criteria of USP <711> | N/A | MEETS TEST |
| WATER | <= 7.0 | % | 5.2 |
| CONTENT UNIFORMITY | MEETS Ph Eur <2.9.40> | N/A | MEETS TEST |
| TOTAL AEROBIC MICROBIAL COUNT <= 2000 | | CFU/g | < 10 |

Documentation is considered PROPRIETARY and is made available for business operations and review by employees and regulatory agencies. Distribution to third parties without prior permission is prohibited.

CERTIFICATE OF ANALYSIS



Generated Date:
Sep 11, 2023

ZOETIS LLC, a wholly-owned subsidiary of Zoetis Inc.
2605 E. KILGORE RD
KALAMAZOO, MI 49001 USA

Item: 10024436
Title: APOQUEL FCT 16MGX100BTX1 UA
Expiration Date: 05-2026
Date Of Manufacture: 22-JUN-2023
Market: 10024436 UKRAINE LIMIT
Lot Number: 689219 Associated Lots: 676795

| <u>TEST NAME</u> | <u>SPECIFICATION</u> | <u>UNIT</u> | <u>RESULT</u> |
|-----------------------------|----------------------|-------------|---------------|
| TOTAL YEAST & MOLD COUNT | <= 200 | CFU/g | < 10 |
| ABSENCE OF ESCHERICHIA COLI | MEETS TEST | N/A | MEETS TEST |

After reviewing all manufacturing and testing data, I hereby certify that the above information is authentic and accurate. The batch has been tested and manufactured including packaging and quality control in full compliance with Good Manufacturing Practices and in compliance with methods and standards, as described in the applicable quality agreements, the local regulatory requirements and those requirements stipulated in the marketing authorization.

Lot Release Electronic Jonathan Evans

Lot Release System Timestamp: Aug 11, 2023 3:33:26 PM

Documentation is considered PROPRIETARY and is made available for business operations and review by employees and regulatory agencies. Distribution to third parties without prior permission is prohibited.

CERTIFICATE OF ANALYSIS



Generated Date:
Mar 30, 2022

ZOETIS LLC, a wholly-owned subsidiary of Zoetis Inc.
2605 E. KILGORE RD
KALAMAZOO, MI 49001 USA

Item: 10024435
Title: APOQUEL FCT 5.4MGX100BTX1 UA
Expiration Date: 12-2024
Date Of Manufacture: 11-JAN-2022
Market: 10024435 UKRAINE LIMIT
Lot Number: 570468 Associated Lots: 556088

| <u>TEST NAME</u> | <u>SPECIFICATION</u> | <u>UNIT</u> | <u>RESULT</u> |
|--|------------------------------|-------------|---------------|
| APPEARANCE VISUAL | MEETS TEST | N/A | MEETS TEST |
| IDENTIFICATION UPLC | MEETS TEST | N/A | MEETS TEST |
| IDENTIFICATION PDA | MEETS TEST | N/A | MEETS TEST |
| ASSAY OCLACITINIB | 95.0 - 105.0 of Label Claim. | % | 100.1 |
| MALEATE CONJUGATE | <= 2.0 | % | < 0.3 |
| INDIVIDUAL UNSPEC DEGRADATION PRODUCTS | <= 1.0 | % | < 0.3 |
| TOTAL DEGRADATION PRODUCTS | <= 4.0 | % | < 0.3 |
| DISSOLUTION @ 30 Minutes (Q = 75%) | Meets criteria of USP <711> | N/A | MEETS TEST |
| WATER | <= 7.0 | % | 4.3 |
| CONTENT UNIFORMITY | MEETS Ph Eur <2.9.40> | N/A | MEETS TEST |
| TOTAL AEROBIC MICROBIAL COUNT | <= 2000 | CFU/g | < 10 |

Documentation is considered PROPRIETARY and is made available for business operations and review by employees and regulatory agencies. Distribution to third parties without prior permission is prohibited.

CERTIFICATE OF ANALYSIS



Generated Date:
Mar 30, 2022

ZOETIS LLC, a wholly-owned subsidiary of Zoetis Inc.
2605 E. KILGORE RD
KALAMAZOO, MI 49001 USA

Item: 10024435
 Title: APOQUEL FCT 5.4MGX100BTX1 UA
 Expiration Date: 12-2024
 Date Of Manufacture: 11-JAN-2022
 Market: 10024435 UKRAINE LIMIT
 Lot Number: 570468 Associated Lots: 556088

| <u>TEST NAME</u> | <u>SPECIFICATION</u> | <u>UNIT</u> | <u>RESULT</u> |
|-----------------------------|----------------------|-------------|---------------|
| TOTAL YEAST & MOLD COUNT | <= 200 | CFU/g | < 10 |
| ABSENCE OF ESCHERICHIA COLI | MEETS TEST | N/A | MEETS TEST |

After reviewing all manufacturing and testing data, I hereby certify that the above information is authentic and accurate. The batch has been tested and manufactured including packaging and quality control in full compliance with Good Manufacturing Practices and in compliance with methods and standards, as described in the applicable quality agreements, the local regulatory requirements and those requirements stipulated in the marketing authorization.

Lot Release Electronic Joel McGorman

Lot Release System Timestamp: Mar 25, 2022 7:23:17 PM

Documentation is considered PROPRIETARY and is made available for business operations and review by employees and regulatory agencies. Distribution to third parties without prior permission is prohibited.